




NACHI BEARINGS TRAINING INDUSTRY



25 mm x 40 mm x 17 mm INA NAO25X40X17
needle roller bearings

Bearing No. NAO25X40X17

NAO25X40X17 Bearing 2D drawings and 3D CAD models

Size	25x40x17 mm
Bore Diameter	25 mm
Outer Diameter	40 mm
Width	17 mm
d	25 mm
D	40 mm
B	17 mm
D_a	35,5 mm
D_b	30,6 mm
d_a	29,5 mm
d_b	34,4 mm
E	35 mm
F	30 mm
$r_{a \max}$	0,3 mm
r_{\min}	0,3 mm
s	0,8 mm / Axial displacement
m	88 g / Weight
C_r	22100 N / Dynamic load rating (radial)
C_{0r}	34000 N / Static load rating (radial)
C_{ur}	5300 N / Fatigue limit load, radial
n_G	15100 1/min / Limiting speed



NACHI BEARINGS TRAINING INDUSTRY

n_B	8100 1/min / Reference speed
Category	Needle Non Thrust Roller Bearings
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.09
EAN	4012801175845
Product Group	B04144
Rolling Element	Needle Roller Bearing
Component	Complete with Outer and Inner Ring
Enclosure	Open
Self Aligning	No
Retainer	Yes
Number of Rows of Rollers	Single Row
Separable	Inner/Outer Ring - Both Sides
Closed End	No
Inch - Metric	Metric
Relubricatable	No
Thrust Bearing	No
Long Description	25MM Bore; 40MM Outside Diameter; 17MM Width; Needle Roller Bearing; Complete with Outer and Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; Inner/Outer Ring - Both Side
Other Features	Plain Inner Ring Plain Outer Ring Precision Bearing Steel Cage Ground Raceway
Category	Needle Non Thrust Roller



NACHI BEARINGS TRAINING INDUSTRY

	Bearing
UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	NAO25X40X17
Weight / LBS	0.194
Bore	0.984 Inch 25 Millimeter
Outside Diameter	1.575 Inch 40 Millimeter
Width	0.669 Inch 17 Millimeter