




NACHI BEARINGS TRAINING INDUSTRY



60 mm x 90 mm x 28 mm INA NKIS60 needle roller bearings

Bearing No. NKIS60

NKIS60 Bearing 2D drawings and 3D CAD models

Size	60x90x28 mm
Bore Diameter	60 mm
Outer Diameter	90 mm
Width	28 mm
d	60 mm
D	90 mm
B	28 mm
F	70 mm
r_{\min}	1,1 mm
s	2 mm / Axial displacement
m	560 g / Weight
C_r	77000 N / Dynamic load rating (radial)
C_{0r}	113000 N / Static load rating (radial)
C_{ur}	20000 N / Fatigue limit load, radial
n_G	6400 1/min / Limiting speed
n_B	3950 1/min / Reference speed
Category	Needle Non Thrust Roller Bearings
Inventory	2.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.56
EAN	4012802059946



NACHI BEARINGS TRAINING INDUSTRY

Product Group	B04144
Rolling Element	Needle Roller Bearing
Component	Complete with Outer and Inner Ring
Enclosure	Open
Self Aligning	No
Retainer	Yes
Number of Rows of Rollers	Single Row
Separable	Inner Ring - Both Sides
Closed End	No
Inch - Metric	Metric
Relubricatable	Yes
Thrust Bearing	No
Long Description	60MM Bore; 90MM Outside Diameter; 28MM Width; Needle Roller Bearing; Complete with Outer and Inner Ring; Open; Not Self Aligning; Retainer; Single Row of Rollers; Inner Ring - Both Sides Separable; No
Other Features	Plain Inner Ring 2 Rib Outer Ring Radial Precision Steel Cage Ground Raceway with Rib Oil Hole
Category	Needle Non Thrust Roller Bearing
UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	NKIS60
Weight / LBS	1.235



NACHI BEARINGS TRAINING INDUSTRY

Width	1.102 Inch 28 Millimeter
Bore	2.362 Inch 60 Millimeter
Outside Diameter	3.543 Inch 90 Millimeter