




NACHI BEARINGS TRAINING INDUSTRY



INA NKS35 needle roller bearings

Bearing No. NKS35

Size	35x50x22 mm
Bore Diameter	35 mm
Outer Diameter	50 mm
Width	22 mm
F_w	35 mm
D	50 mm
C	22 mm
r_{min}	0,6 mm
m	118 g / Weight
C_r	39500 N / Dynamic load rating (radial)
C_{or}	47000 N / Static load rating (radial)
C_{ur}	8000 N / Fatigue limit load, radial
n_G	12300 1/min / Limiting speed
n_B	6700 1/min / Reference speed
Category	Needle Non Thrust Roller Bearings
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.12
EAN	4012802060041
Product Group	B04144
Rolling Element	Needle Roller Bearing

NKS35 Bearing 2D drawings and 3D CAD models



NACHI BEARINGS TRAINING INDUSTRY

Component	Roller Assembly with Outer Ring - No Inner Ring
Enclosure	Open
Self Aligning	No
Retainer	Yes
Number of Rows of Rollers	Single Row
Separable	No
Closed End	No
Inch - Metric	Metric
Relubricatable	Yes
Thrust Bearing	No
Long Description	35MM Bore; 50MM Outside Diameter; 22MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; No Separable; N
Other Features	2 Rib Outer Ring Radial Precision Bearing Steel Cage Heavy Duty Ground Raceway with Rib Oil Hole
Category	Needle Non Thrust Roller Bearing
UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	NKS35
Weight / LBS	0.26
Outside Diameter	1.969 Inch 50 Millimeter
Width	0.866 Inch 22 Millimeter



NACHI BEARINGS TRAINING INDUSTRY

Bore

1.378 Inch | 35 Millimeter