




NACHI BEARINGS TRAINING INDUSTRY

4,000 mm x 11,000 mm x 4,000 mm NTN F-694 deep groove ball bearings



Bearing No. F-694

F-694 Bearing 2D drawings and 3D CAD models

Size	4x11x4 mm
Bore Diameter	4,000 mm
Outer Diameter	11,000 mm
Width	4,000 mm
d	4,000 mm
D	11,000 mm
B	4,000 mm
C	4,000 mm
rs min	0.15 mm
Radial clearance class	CN
Mass	0.002 kg
Dynamic load, C	0.72 kN
Static load, C0	0.28 kN
Fatigue limit load, Cu	0.01 kN
f0	13.7
Nlim (oil)	52,000 rpm
Nlim (grease)	45,000 rpm
Min operating temperature, Tmin	-20 ° C
Max operating temperature, Tmax	120 ° C
da min	5.2 mm
Da max	9.8 mm
ra max	0.15 mm
Category	Single Row Ball Bearings
Inventory	0.0



NACHI BEARINGS TRAINING INDUSTRY

Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.001
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Stainless Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	4MM Bore; 11MM Outside Diameter; 4MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Stainless Steel C
Other Features	Deep Groove Stainless Steel Ring and Ball
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.ntnamerica.com
Inner Race Width	0 Inch 0 Millimeter
Bore	0.157 Inch 4 Millimeter
Outside Diameter	0.433 Inch 11 Millimeter
Outer Race Width	0.157 Inch 4 Millimeter



NACHI BEARINGS TRAINING INDUSTRY